


# SBK<sup>®</sup>

HIGH PERFORMANCE LUBRICANTS



[www.sbk.ae](http://www.sbk.ae)

AUTOMOTIVE & INDUSTRIAL LUBRICANTS



# Table of Content

1. Introduction .....	1
2. Passenger Car Engine Oil.....	2 - 5
3. Heavy Duty Engine Oil .....	6 - 7
4. Automatic & Manual Transmission Fluid .....	8 - 9
5. Specialty & Industrial Lubricants .....	10 - 11



# INTRODUCTION

**ABDUL ZAHIR BASHIR GEN.TRDG.(L.L.C) BR.** a company in lubricants & Greases Industry with a brand name called **SBK**.


We provide our customers superior quality products coupled with competitive price and outstanding after sales service. **SBK** is distributed to many customers and organization in different countries around the globe. We produce Lubricants & Greases from high quality virgin base stocks to match with superior quality additives with world renowned German know-how. We produce lubricants for a wide range of applications such as Automotive, Marine, Industrial and other specialty products. **SBK** Lubricants include Full Synthetic and Semi-Synthetic Lubricants of different grades and viscosities to work effectively in wide range temperatures and conditions with extended lubricant change intervals.

To enable **SBK** to stand out in terms of quality and performance we have a team of highly qualified professionals. At **SBK**, R&D is a continuous process with dedicated efforts for improving the existing standards with the help of sophisticated technology in order to improve not only the performance but also the environmental compatibility.

To top it all we have a well organised and well implemented Quality Control System to ensure specified quality is achieved at every production stage.

Above all **ABDUL ZAHIR BASHIR GEN.TRDG.(L.L.C) BR.** gives an enormous advertisement & promotional support to its agents and customers. The marketing department develops new and unique ideas to educate the end user on **SBK** Lubricants.

As a dedicated Lubricant supplier we have a strong passion towards exploring new dimensions in product development and improved services to meet the ever changing demands of the local and global markets.



# Passenger Car Engine Oil

## DIAMOND 9000 SM 5W40

Exceptional Performance 100% Synthetic Technology

Diamond 9000 is a premium quality 100% synthetic motor oil developed to provide the highest standard of lubricant reliability and protection for all types of automobile engines. Recommended for use in all types of vehicles, especially in modern gasoline or diesel engines fitted with advanced computer controlled multi-valve fuel injection systems, turbochargers, superchargers and other performance enhancement equipment.



Performance Level : Mercedes, Peugeot, BMW, Porsche, Volkswagen, Renault, Nissan, Toyota, GM, Honda, etc.

Pack : 4L

Specifications : API SM/CF/ACEA A3/B4, VW 502.00/ 505.00, MB 229.3, BMW LL01, Porsche, Peugeot, Citroen



## DIAMOND 7000 SL 15W50

Very High Performance

Diamond 7000 is a high performance multigrade engine oil designed to meet the highest requirements of all latest gasoline engine passenger cars and delivery vans. It is specially developed to meet the requirements of latest API service category SL.



Performance Level : Mercedes, BMW, Toyota, Nissan, Honda, Mitsubishi, Ssangyong, etc.,

Pack : 4L

Specifications : API SL/CF, ACEA A3/B3, ACEA A3/B4, VW 500.00/505.00, MB 229.1

## DIAMOND 5000 SL 20W50

Mineral Technology High Performance Engine Oil


Diamond 5000 is a high performance multigrade engine oil designed to meet the highest requirements of all latest gasoline engines of passenger cars and delivery vans. It is specially developed to meet the requirements of latest API service category SL.



Performance Level : Toyota, Honda, Nissan, BMW, Mitsubishi, Jeep.

Pack : 4L

Specifications : API SL/CF



## DIAMOND 3000 SF 20W50

Mineral Technology High Performance Engine Oil

Diamond 3000 is a high quality multigrade oil for gasoline engines. It is blended with highly refined mineral base oil and additives to meet and exceed lubrication requirements of naturally aspirated and turbo charged engines.



Performance Level : CCMC G2

Pack : 4L

Specifications : API SF

# Passenger Car Engine Oil

## DIAMOND 9000 SM 5W40

Exceptional Performance 100% Synthetic Technology

Diamond 9000 is a premium quality 100% synthetic motor oil developed to provide the highest standard of lubricant reliability and protection for all types of automobile engines. Recommended for use in all types of vehicles, especially in modern gasoline or diesel engines fitted with advanced computer controlled multi-valve fuel injection systems, turbochargers, superchargers and other performance enhancement equipment.



Performance Level : Mercedes, Peugeot, BMW, Porsche, Volkswagen, Renault, Nissan, Toyota, GM, Honda, etc.

Pack : 208L, 20L, 4L, 1L

Specifications : API SM/CF/ACEA A3/B4, VW 502.00/ 505.00, MB 229.3, BMW LL01, Porsche, Peugeot, Citroen



## DIAMOND 7000 SL 15W50

Very High Performance

Diamond 7000 is a high performance multigrade engine oil designed to meet the highest requirements of all latest gasoline engine passenger cars and delivery vans. It is specially developed to meet the requirements of latest API service category SL.



Performance Level : Mercedes, BMW, Toyota, Nissan, Honda, Mitsubishi, Ssangyong, etc.,

Pack : 208L, 20L, 4L, 1L

Specifications : API SL/CF, ACEA A3/B3, ACEA A3/B4, VW 500.00/505.00, MB 229.1

## DIAMOND 5000 SL 20W50

Mineral Technology High Performance Engine Oil

Diamond 5000 is a high performance multigrade engine oil designed to meet the highest requirements of all latest gasoline engines of passenger cars and delivery vans. It is specially developed to meet the requirements of latest API service category SL.



Performance Level : Toyota, Honda, Nissan, BMW, Mitsubishi, Jeep.

Pack : 208L, 20L, 4L, 1L

Specifications : API SL/CF



# DIAMOND 3000 SF 20W50

Mineral Technology High Performance Engine Oil

Diamond 3000 is a high quality multigrade oil for gasoline engines. It is blended with highly refined mineral base oil and additives to meet and exceed lubrication requirements of naturally aspirated and turbo charged engines.



Performance Level : CCMC G2

Pack : 208L, 20L, 4L, 1L

Specifications : API SF



# DIAMOND 40

High Performance Monograde Petrol Engine Oil

Diamond 40 is blended with high quality solvent refined base oil and package additive meeting the lubricating requirement of gasoline and diesel engines operating under moderate to heavy load conditions. It can be used for naturally aspirated or turbo charged vehicles.



Performance Level : Recommended for all naturally aspirated and turbo charged vehicles.

Pack : 208L, 20L, 4L, 1L

Specifications : API SC/CC

# 2T OIL

Two Stroke Motor Cycle Oil

2T Oil is a premium quality 2-stroke engine oil for use in high performance motorcycle engines equipped with oil injection system or in gasoline/oil mixture as per manufacturers recommended ratio. It is suitable for use with unleaded gasoline. It is blended using high quality mineral base oil with a combination of latest low ash additive technology and synthetic components.



Pack : 208L, 20L, 4L, 1L

Specifications : API TC



# Heavy Duty Diesel Engine Oil

## OPAL MIS 4700 CI-4 15W40

High Performance Diesel Engine Oil

Opal MIS 4700 is an extra high performance diesel engine oil that provides excellent lubrication of today's diesel engines promoting extended engine life. It meets the specifications of all major engine manufacturers. The advanced formulation of this product provides outstanding performance in both modern, demanding low-emission diesel engines and older diesel engines operating on low or high sulphur fuel.



Performance Level : MERCEDES BENZ 228.3, VOLVO VDS-3, MAN M 3275, CUMMINS 20071/72/76/77/78, Caterpillar ECF - 1a, MTU type 2, Renault RLD-2, MACK EO-M, ZF TEML 04C

Pack : 208L, 20L, 5L, 4L

Specifications : API CI - 4/CH - 4/SL, ACEA E5/E7, GLOBAL DHD - 1.



## OPAL TX CF-4 15W40

High Performance Diesel Engine Oil

Opal TX is a high performance diesel engine oil that provides proven engine protection of diesel engines operating on and off highway. It is recommended for use in a wide range of heavy-duty applications and operating environments found in the trucking, mining, construction, quarrying and agricultural industries.



Performance Level : MERCEDES BENZ 228.1, MAN271, VOLVO VDS, CATERPILLAR TO-2, MACK EO-L, ALLISON C-4

Pack : 208L, 20L, 5L, 4L

Specifications : API CF-4/SG, ACEA E2, MIL-L-2104E

## OPAL S CF/SF SAE 50

High Performance Monograde Diesel Engine Oil

Opal S is a high performance monograde diesel engine oil formulated from advance technology with base oil and a balanced additive system. It is specifically engineered for performance in inter-cooled turbo charged engines operating under severe on and off high-way conditions. Opal S can be used in a wide range of applications where a monograde lubricant is recommended.



Performance Level : MB 228.0, MAN 270, CAT T0- 2, Allison C4, MIL-L-2104 E

Pack : 208L

Specifications : API CF/SF





## OPAL S CF/SF SAE 50

High Performance Monograde Diesel Engine Oil

Opal S is a high performance monograde diesel engine oil formulated from advance technology with base oil and a balanced additive system. It is specifically engineered for performance in inter-cooled turbo charged engines operating under severe on and off high-way conditions. Opal S can be used in a wide range of applications where a monograde lubricant is recommended.



Performance Level : MB 228.0, MAN 270, CAT T0- 2,  
Alison C4, MIL-L-2104 E

Pack : 20L, 5L, 4L

Specifications : API CF/SF



## OPAL B SAE 50 & SAE 40

High Performance Monograde Diesel Engine Oil

Opal B is a heavy duty monograde oil blended with high quality solvent refined base stock and balanced additive system comprising of dispersant, detergent, rust inhibitors, anti oxidant and anti wear agents.



Performance Level : MIL-L-2104 B

Pack : 20L, 5L, 4L

Specifications : API CC/SC

## OPAL B SAE 50 & SAE 40

High Performance Monograde Diesel Engine Oil

Opal B is a heavy duty monograde oil blended with high quality solvent refined base stock and balanced additive system comprising of dispersant, detergent, rust inhibitors, anti oxidant and anti wear agents.



Performance Level : MIL-L-2104 B

Pack : 208L

Specifications : API CC/SC



# Automatic & Manual Transmission Fluids

## ATF III

Automatic Transmission Fluid

ATF III is a transmission fluid, designed for use in modern automatic gear boxes, where GM Dexron or FordMercon specifications are quoted. ATF III can also be used in most power shift transmissions, power steering and hydraulic units.



Pack : 208L, 20L, 1L

Specifications : GM DEXRON IIIH, FORD MERCON, ALLISON:C4



## ATF II

Automatic Transmission & Power Steering Fluid

ATF II is a typical fluid, designed for use in modern automatic gearboxes and other transmission units of most passenger cars, trucks and busses. It is primarily designed to meet the requirements of Dexron II and Ford Friction modified specification (not Type F Fluid, but is also suitable for automatic transmission, power-steering and hydraulic units of mobile and off-highway equipment, industrial application and marine hydraulics.



Pack : 208L, 20L, 1L

Specifications : GM DEXRON IID, CATERPILLAR TO-2,  
VOITH G 607, ZF TE-ML 04D, 09B, 11A,  
17C, BMW 23-3.0, 24-3.0

## GEAR OIL 80W90

Manual Transmission Oil

Gear Oil is designed for use in a hypoid, bevel and spiral gear units, axles and final drives operating under severe conditions and over a wide spectrum of operating conditions. Through their mono-grade and multi-grade viscosity characteristics they meet the requirements of several automotive manufacturers for passenger cars and commercial trucks and buses.



Performance Level : Recommended by IVECO, MAN, SCANIA and VOLVO.

Pack : 208L, 20L, 1L

Specifications : API GL-5, MIL-L-2105D



## GEAR OIL SAE 140

Manual Transmission Oil

Gear Oil is designed for use in automotive spiral, bevel and worm gear axles and some manually operated transmissions operating under such mild load and sliding conditions that straight mineral oils give satisfactory performance.



Pack : 208L, 20L, 4L, 1L

Specifications : API GL-1

## GEAR OIL SAE 90

Manual Transmission Oil

Gear Oil is designed for use in automotive spiral, bevel and worm gear axles and some manually operated transmissions operating under such mild load and sliding conditions that straight mineral oils give satisfactory performance.



Pack : 208L, 20L, 4L, 1L

Specifications : API GL - 1



# Specialty Lubricants

## AUTOMOTIVE COOLANT

SBK - Radiator Coolant is a specially formulated ready to use engine coolant, for both petrol and diesel engines. It is mixture of mono-ethylene glycol and selected chemical agents to provide outstanding all round protection.

SBK coolant should not be further diluted while using in the system or when topping-up. Prior to filling with the Coolant cooling system should be properly cleaned and cleared of all blockages and suspended rust and dirt in the system should be flushed with clean water. In a clean cooling system, Coolant will deliver optimum performance and protection for up to one year upon which the system should be drained and refilled with Coolant.

Meets BS 6580(1992) (UK) Standards, JIS K 2234-97, Class 2  
 Juliiik, ISBK - Radiator Coolant meets the requirements of Major European Manufacturers.

Performance Level : AFNOR NFR 15-601, ASTM D4656, ASTM D3306, ASTM D4985, BS 6580 AUDI, MB 326.3, DEUTZ / MWM, FORD, MAN 324 Type SNF, SEAT, SKODA, VW TL 774D & Radiator Coolant meets the requirements of Major European Manufacturers.

Pack : 5L, 4L



## SBK Greases – MP & EP

Lithium Base Grease

SBK Multipurpose and Extreme Pressure Greases are lithium based grease.

SBK MP2 & MP3 Grease can be used for surfaces with normal to moderate loads.

SBK EP2 & EP3 Grease can be used in all severe automotive and industrial applications subjected to heavy loads and high temperatures.

Packs : 180KG, 20KG, 15KG, 1KG, 500Gm

## BF 3 & BF 4 BRAKE FLUID

Fully Synthetic Brake Fluids

BF 3 is suitable for all conventional drum and disc brake systems under arduous conditions. It may be used in hydraulic clutch release systems.

BF 4 is a heavy duty, high boiling point, synthetic brake and hydraulic clutch release fluid. It is suitable for all conventional drum and disc brake systems under arduous conditions.



Pack : 250ML, 500ML

Specifications : SAE J 1703, FM VSS 116 DOT 3 ISO 4925  
 SAE J 1704, FM VSS 116 DOT 4, ISO 4925



# Industrial Lubricants

## HYDRAULIC OIL

Pesado - High Performance Anti-wear Hydraulic Oil  
HV - ISO VG 15, 22, 32, 37, 46, 68, 100, 150

Pesado - High Viscosity Index Hydraulic Oil  
ISO VG 15, 22, 32, 37, 46, 68, 100, 150

## INDUSTRIAL GEAR OIL

IG : ISO 68, 100, 150, 220, 320, 460, 680, 1000, 1500, 2200, 3000  
Extreme Pressure Industrial Gear Oil

SG : ISO 150, 220, 320, 460, 680, 1000  
High Performance Synthetic Gear Oil.

SGO : ISO 220, 320, 460 Poly glycol based  
Synthetic Gear Oil.

## COMPRESSOR OILS

ISO VG 32, 46, 68, 100, 150 High Performance  
Reciprocating, Rotary Air Compressor Oil.

ISO VG 32, 46, 68 Extended Drain, Premium  
Screw, Air Compressor Oil

ISO VG 32, 46, 68, 100 Synthetic Rotary  
Air Compressor Oil

ISO VG 32, 46, 68, 100 Refrigeration  
Compressor Oil

## AUTOMOTIVE FLUSHING OILS

AFO designed for use in flushing system of gasoline and diesel engines.





FORMULATED IN GERMANY  
MADE IN UAE

# HIGH PERFORMANCE PASSENGER CAR ENGINE OIL







Exclusively marketed worldwide by:

عبدالظاهر بشير للتجارة العامة (ش.ذ.م.م.) فرع  
**ABDUL ZAHIR BASHIR GEN. TRDG. (L.L.C.) BR.**

P.O. BOX 40223, Dubai United Arab Emirates  
Tel: +971 4 2276343 Fax: +971 4 2276347  
E-mail: bashiridubai@emirates.net.ae Website: www.abdulzahirbashir.ae

Edition : 2013/05